


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | | |
|-----------|-----|--------------------------|------------|---------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL | APPROVED |
| 1 | | RELEASED FOR PRODUCTION. | 12/12/2016 | DPD | JAG |






| ASSY QTY | ASSY QTY | ASSY QTY | B/O | Part # | UNIT QTY | Description | Material | B/O INFORMATION OR SPECIFICATIONS | PG. |
|----------|----------|----------|-----|--------|----------|-------------------------|------------------|---|-----|
| | | X | | -1 | 1 | MACHINED WELDMENT | | | 2 |
| | X | 1 | | -3 | | WELDMENT | | | 3 |
| | 1 | | | -5 | | BASE PLATE | A36/1018/1020 HR | | 4 |
| | 1 | | | -7 | | BACK PLATE | A36/1018/1020 HR | | 5 |
| | 2 | | | -9 | | LARGE BOSS | A36/1018/1020 HR | | 6 |
| | 4 | | | -11 | | SMALL BOSS | A36/1018/1020 HR | | 7 |
| | 1 | | | -13 | | TUBE | 1018/1020 CR | | 8 |
| | 2 | | | -15 | | TUBE BRACE | A36/1018/1020 HR | | 9 |
| | 2 | | | -17 | | MOUNT PLATE | A36/1018/1020 HR | | 10 |
| | 1 | | | -19 | | CLAMP TUBE | STEEL TUBE | | 11 |
| | | | | -21 | 1 | WISE PLATE | A36/1018/1020 HR | | 12 |
| | | | | -23 | 1 | HUB | 4140/4142 Q & T | | 13 |
| | | | | -25 | 2 | CRANK HANDLE | 1018/1020 CR | | 14 |
| | | | | -27 | 1 | SPECIAL WASHER | 1018/1020 CR | | 15 |
| X | | | | -29 | 1 | ACME SCREW WELDMENT | | | 16 |
| 1 | | | | -31 | | ACME ROD | STEEL | M20 X 4mm ACME (MCMASTER-CARR #97048A719) MODIFIED | 17 |
| 1 | | | B/O | -33 | | ACME NUT | STEEL | M20 X 4mm ACME (MCMASTER-CARR #94353A200) | 16 |
| | | | B/O | -35 | 1 | CLAMP HANDLE | STEEL | M10 (CARR-LANE #CLM-10-AHL-3) | 1 |
| | | | B/O | -37 | 1 | WASHER | STEEL | M10 (MCMASTER-CARR #91166A280) | 1 |
| | | | B/O | -39 | 1 | HEX HEAD CAP SCREW | STEEL | M10 X 1.5mm X 100mm, CLASS 8.8 (MCMASTER-CARR #91280A658) | 1 |
| | | | B/O | -41 | 2 | DOWEL PIN | STEEL | M2 X 20mm (MCMASTER-CARR #91595A034) | 1 |
| | | | B/O | -43 | 2 | KNOB HANDLE | PHENOLIC | M10 X 1.5mm, Ø1-5/8 (CARR-LANE #CLM752-PB) | 1 |
| | | | B/O | -45 | 1 | EXTERNAL RETAINING RING | STEEL | Ø1-3/8 SHAFT (MCMASTER-CARR #97633A360) | 1 |
| ASSY -29 | ASSY -3 | ASSY -1 | | | | | | | |

NOTE:
REF. EUROCOPTER T/N: 1X56-131-402.

| DART AEROSPACE | | | |
|--|-------------------|--|----------|
| TITLE ASSEMBLY DEVICE | | | |
| DWG NO. RBE1X56-131-402 | | | REV 1 |
| MAT'L HEAT TREAT FINISH SPEC | | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125/✓ | |
| DRAWN BY: DUERFELDT | | 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R | |
| CHECKED: MACKOVJAK | | 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | |
| OPPS APPR: ANDERSON | | 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 | |
| QA APPR: LINDSAY | | USED ON MODEL | |
| APPROVED: GILBERT | | EC145 | |
| SCALE 1:5 | DATE 7/13/2016 | SHEET 1 OF 17 | |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | |
|-----------|-----|-------------|------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL |
| | | | | APPROVED |








(-1)

MACHINED WELDMENT

| | |
|--------------------------------------|--|
| DART AEROSPACE | |
| TITLE ASSEMBLY DEVICE | |
| DWG NO. RBE1X56-131-402-1 | REV 1 |
| MAT'L ZINC PLATE | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± .5° .X ± .1 SURFACES = 125° |
| SPEC ASTM B633 TYPE I SC 2 | 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R |
| DRAWN BY: DUERFELDT | 2. DIMENSIONAL LIMITS APPLY AFTER PLATING |
| CHECKED: MACKOVJAK | 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 |
| OPPS APPR: ANDERSON | USED ON MODEL |
| QA APPR: LINDSAY | EC145 |
| APPROVED: GILBERT | |
| SCALE 1:4 | DATE 12/7/2015 |
| SHEET 2 OF 17 | |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.




| REVISIONS | | | | |
|-----------|-----|-------------|------|---------|
| REV | ECR | DESCRIPTION | DATE | INITIAL |
| APPROVED | | | | |



| DART AEROSPACE | | | |
|--|-------------------|---|----------|
| TITLE ASSEMBLY DEVICE | | | |
| DWG NO. RBE1X56-131-402-3 | | | REV 1 |
| MAT'L HEAT TREAT FINISH SPEC | | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125/ | |
| DRAWN BY: DUERFELDT | | 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R | |
| CHECKED: MACKOVJAK | | 2. DIMENSIONAL LIMITS APPLY AFTER PLATING | |
| OPPS APPR: ANDERSON | | 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 | |
| QA APPR: LINDSAY | | USED ON MODEL | |
| APPROVED: GILBERT | | EC145 | |
| SCALE 1:4 | DATE 7/13/2016 | SHEET 3 OF 17 | |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | | | | |
|-----------|-----|-------------|--|--|------|---------|----------|
| REV | ECR | DESCRIPTION | | | DATE | INITIAL | APPROVED |






(-5)

BASE PLATE

| | |
|-------------------------------------|------------------------------|
| DART AEROSPACE | |
| TITLE ASSEMBLY DEVICE | |
| DWG NO. RBE1X56-131-402-5 | REV 1 |
| MAT'L A36/1018/1020 HR | UNLESS OTHERWISE SPECIFIED |
| HEAT TREAT | DIMENSIONS ARE IN INCHES |
| FINISH SEE -3 | .XXX ± .005 FRACTIONS ± 1/8 |
| SPEC | .XX ± .01 ANGLES ± .5° |
| | .X ± .1 SURFACES = 125° ✓ |
| DRAWN BY: DUERFELDT | 1. BREAK ALL SHARP EDGES |
| CHECKED: MACKOVJAK | .015 x 45° OR .015R |
| OPPS APPR: ANDERSON | 2. DIMENSIONAL LIMITS APPLY |
| QA APPR: LINDSAY | AFTER PLATING |
| APPROVED: GILBERT | 3. INTERPRET DIM AND TOL PER |
| | ASME Y14.5M-2009 |
| SCALE 1:4 | DATE 7/13/2016 |
| | SHEET 4 OF 17 |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | |
|-----------|-----|-------------|------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL |
| | | | | APPROVED |




(-7)
BACK PLATE

| | |
|-------------------------------------|------------------------------|
| DART AEROSPACE | |
| TITLE ASSEMBLY DEVICE | |
| DWG NO. RBE1X56-131-402-7 | REV 1 |
| MAT'L A36/1018/1020 HR | UNLESS OTHERWISE SPECIFIED |
| HEAT TREAT | DIMENSIONS ARE IN INCHES |
| FINISH SEE -3 | .XXX ± .005 FRACTIONS ± 1/8 |
| SPEC | .XX ± .01 ANGLES ± 5° |
| | .X ± .1 SURFACES = 125/✓ |
| DRAWN BY: DUERFELDT | 1. BREAK ALL SHARP EDGES |
| CHECKED: MACKOVJAK | .015 x 45° OR .015R |
| OPPS APPR: ANDERSON | 2. DIMENSIONAL LIMITS APPLY |
| QA APPR: LINDSAY | AFTER PLATING |
| APPROVED: GILBERT | 3. INTERPRET DIM AND TOL PER |
| | ASME Y14.5M-2009 |
| | USED ON MODEL |
| | EC145 |
| SCALE 1:2 | DATE 7/13/2016 |
| | SHEET 5 OF 17 |



This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | |
|-----------|-----|-------------|------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL |
| | | | | APPROVED |

Ø 1.00



.395






(-9)
LARGE BOSS

| | |
|-------------------------------------|------------------------------|
| DART AEROSPACE | |
| TITLE ASSEMBLY DEVICE | |
| DWG NO. RBE1X56-131-402-9 | REV 1 |
| MAT'L A36/1018/1020 HR | UNLESS OTHERWISE SPECIFIED |
| HEAT TREAT | DIMENSIONS ARE IN INCHES |
| FINISH SEE -3 | .XXX ± .005 FRACTIONS ± 1/8 |
| SPEC | .XX ± .01 ANGLES ± .5° |
| | .X ± .1 SURFACES = 125° ✓ |
| DRAWN BY: DUERFELDT | 1. BREAK ALL SHARP EDGES |
| CHECKED: MACKOVJAK | .015 x 45° OR .015R |
| OPPS APPR: ANDERSON | 2. DIMENSIONAL LIMITS APPLY |
| QA APPR: LINDSAY | AFTER PLATING |
| APPROVED: GILBERT | 3. INTERPRET DIM AND TOL PER |
| | ASME Y14.5M-2009 |
| | USED ON MODEL |
| | EC145 |
| SCALE 2:1 | DATE 7/13/2016 |
| | SHEET 6 OF 17 |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | |
|-----------|-----|-------------|------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL |
| | | | | APPROVED |





(-11)

SMALL BOSS


| | |
|--------------------------------------|------------------------------|
| DART AEROSPACE | |
| TITLE ASSEMBLY DEVICE | |
| DWG NO. RBE1X56-131-402-11 | REV 1 |
| MAT'L A36/1018/1020 HR | UNLESS OTHERWISE SPECIFIED |
| HEAT TREAT | DIMENSIONS ARE IN INCHES |
| FINISH SEE -3 | .XXX ± .005 FRACTIONS ± 1/8 |
| SPEC | .XX ± .01 ANGLES ± .5° |
| | .X ± .1 SURFACES = 125° |
| DRAWN BY: DUERFELDT | 1. BREAK ALL SHARP EDGES |
| CHECKED: MACKOVJAK | .015 x 45° OR .015R |
| OPPS APPR: ANDERSON | 2. DIMENSIONAL LIMITS APPLY |
| QA APPR: LINDSAY | AFTER PLATING |
| APPROVED: GILBERT | 3. INTERPRET DIM AND TOL PER |
| | ASME Y14.5M-2009 |
| | USED ON MODEL |
| | EC145 |
| SCALE 2:1 | DATE 7/13/2016 |
| | SHEET 7 OF 17 |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | |
|-----------|-----|-------------|------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL |
| | | | | APPROVED |



SECTION A-A






(13)

TUBE

| | |
|--------------------------------------|------------------------------|
| DART AEROSPACE | |
| TITLE ASSEMBLY DEVICE | |
| DWG NO. RBE1X56-131-402-13 | REV 1 |
| MAT'L 1018/1020 CR | UNLESS OTHERWISE SPECIFIED |
| HEAT TREAT | DIMENSIONS ARE IN INCHES |
| FINISH SEE -3 | .XXX ± .005 FRACTIONS ± 1/8 |
| SPEC | .XX ± .01 ANGLES ± .5° |
| | .X ± .1 SURFACES = 125 |
| DRAWN BY: DUERFELDT | 1. BREAK ALL SHARP EDGES |
| CHECKED: MACKOVJAK | .015 x 45° OR .015R |
| OPPS APPR: ANDERSON | 2. DIMENSIONAL LIMITS APPLY |
| QA APPR: LINDSAY | AFTER PLATING |
| APPROVED: GILBERT | 3. INTERPRET DIM AND TOL PER |
| | ASME Y14.5M-2009 |
| | USED ON MODEL |
| | EC145 |
| SCALE 1:1 | DATE 7/13/2016 |
| | SHEET 8 OF 17 |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | |
|-----------|-----|-------------|----------|
| REV | ECR | DESCRIPTION | DATE |
| | | | INITIAL |
| | | | APPROVED |






(-15)

TUBE BRACE

| | |
|--------------------------------------|------------------------------|
| DART AEROSPACE | |
| TITLE ASSEMBLY DEVICE | |
| DWG NO. RBE1X56-131-402-15 | REV 1 |
| MAT'L A36/1018/1020 HR | UNLESS OTHERWISE SPECIFIED |
| HEAT TREAT | DIMENSIONS ARE IN INCHES |
| FINISH SEE -3 | .XXX ± .005 FRACTIONS ± 1/8 |
| SPEC | .XX ± .01 ANGLES ± .5° |
| | .X ± .1 SURFACES = 125 |
| DRAWN BY: DUERFELDT | 1. BREAK ALL SHARP EDGES |
| CHECKED: MACKOVJAK | .015 x 45° OR .015R |
| OPPS APPR: ANDERSON | 2. DIMENSIONAL LIMITS APPLY |
| QA APPR: LINDSAY | AFTER PLATING |
| APPROVED: GILBERT | 3. INTERPRET DIM AND TOL PER |
| | ASME Y14.5M-2009 |
| | USED ON MODEL |
| | EC145 |
| SCALE 1:1 | DATE 7/13/2016 |
| | SHEET 9 OF 17 |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | |
|-----------|-----|-------------|------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL |
| | | | | APPROVED |






(17)
MOUNT PLATE

| | |
|--------------------------------------|---|
| DART AEROSPACE | |
| TITLE ASSEMBLY DEVICE | |
| DWG NO. RBEIX56-131-402-17 | REV 1 |
| MAT'L A36/1018/1020 HR | UNLESS OTHERWISE SPECIFIED |
| HEAT TREAT | DIMENSIONS ARE IN INCHES |
| FINISH SEE -3 | .XXX ± .005 FRACTIONS ± 1/8 |
| SPEC | .XX ± .01 ANGLES ± .5° |
| | .X ± .1 SURFACES = 125° ✓ |
| DRAWN BY: DUERFELDT | 1. BREAK ALL SHARP EDGES |
| CHECKED: MACKOVJAK | .015 x 45° OR .015R |
| OPPS APPR: ANDERSON | 2. DIMENSIONAL LIMITS APPLY |
| QA APPR: LINDSAY | AFTER PLATING |
| APPROVED: GILBERT | 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 |
| SCALE 1:2 | USED ON MODEL |
| DATE 7/13/2016 | EC145 |
| SHEET 10 OF 17 | |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | |
|-----------|-----|-------------|------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL |
| | | | | APPROVED |






-19
CLAMP TUBE

| | |
|--------------------------------------|------------------------------|
| DART AEROSPACE | |
| TITLE ASSEMBLY DEVICE | |
| DWG NO. RBE1X56-131-402-19 | REV 1 |
| MAT'L STEEL TUBE | UNLESS OTHERWISE SPECIFIED |
| HEAT TREAT | DIMENSIONS ARE IN INCHES |
| FINISH SEE -3 | .XXX ± .005 FRACTIONS ± 1/8 |
| SPEC | .XX ± .01 ANGLES ±.5° |
| | .X ± .1 SURFACES = 125/✓ |
| DRAWN BY: DUERFELDT | 1. BREAK ALL SHARP EDGES |
| CHECKED: MACKOVJAK | .015 x 45° OR .015R |
| OPPS APPR: ANDERSON | 2. DIMENSIONAL LIMITS APPLY |
| QA APPR: LINDSAY | AFTER PLATING |
| APPROVED: GILBERT | 3. INTERPRET DIM AND TOL PER |
| | ASME Y14.5M-2009 |
| | USED ON MODEL |
| | EC145 |
| SCALE 1:1 | DATE 7/13/2016 |
| | SHEET 11 OF 17 |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | |
|-----------|-----|-------------|------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL |
| | | | | APPROVED |






(-21)

WISE PLATE

| | |
|--------------------------------------|---|
| DART AEROSPACE | |
| TITLE ASSEMBLY DEVICE | |
| DWG NO. RBE1X56-131-402-21 | REV 1 |
| MAT'L A36/1018/1020 HR | UNLESS OTHERWISE SPECIFIED |
| HEAT TREAT | DIMENSIONS ARE IN INCHES |
| FINISH ZINC PLATE | .XXX ± .005 FRACTIONS ± 1/8 |
| SPEC ASTM B633 TYPE I SC 2 | .XX ± .01 ANGLES ± .5° |
| DRAWN BY: DUERFELDT | .X ± .1 SURFACES = 125° ✓ |
| CHECKED: MACKOVJAK | 1. BREAK ALL SHARP EDGES |
| OPPS APPR: ANDERSON | .015 x 45° OR .015R |
| QA APPR: LINDSAY | 2. DIMENSIONAL LIMITS APPLY |
| APPROVED: GILBERT | AFTER PLATING |
| SCALE 1:2 | 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 |
| DATE 7/13/2016 | USED ON MODEL |
| SHEET 12 OF 17 | EC145 |


| REVISIONS | | | | | |
|-----------|-----|-------------|------|---------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL | APPROVED |



| | | | |
|---|-----------|--|-----|
|  | | | |
| TITLE | | | |
| ASSEMBLY DEVICE | | | |
| DWG NO. | | | REV |
| RBE1X56-131-402-23 | | | 1 |
| MAT'L 4140/4142 Q & T | | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125/√ | |
| HEAT TREAT | | | |
| FINISH ZINC PLATE | | | |
| SPEC ASTM B633 TYPE I SC 2 | | | |
| DRAWN BY: DUERFELDT | | | |
| CHECKED: | MACKOVJAK | | |
| OPPS APPR: | ANDERSON | | |
| QA APPR: | LINDSAY | | |
| APPROVED: | GILBERT | | |
| SCALE 1:1 | | DATE 7/13/2016 | |
| | | SHEET 13 OF 17 | |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | |
|-----------|-----|-------------|------|----------|
| REV | ECR | DESCRIPTION | DATE | INITIAL |
| | | | | APPROVED |



(25)




CRANK HANDLE



| | | | |
|----------------------------|--|---|--|
| TITLE | | ASSEMBLY DEVICE | |
| DWG NO. | | RBE1X56-131-402-25 | |
| REV | | 1 | |
| MAT'L 1018/1020 CR | | UNLESS OTHERWISE SPECIFIED | |
| TREAT | | DIMENSIONS ARE IN INCHES | |
| FINISH ZINC PLATE | | .XXX \pm .010 FRACTIONS \pm 1/8 | |
| SPEC ASTM B633 TYPE I SC 2 | | .XX \pm .03 ANGLES \pm 1° | |
| DRAWN BY: DUERFELDT | | .X \pm .1 SURFACES = 125 | |
| CHECKED: MACKOVJAK | | 1. BREAK ALL SHARP EDGES | |
| OPPS APPR: ANDERSON | | .015 x 45° OR .015R | |
| QA APPR: LINDSAY | | 2. DIMENSIONAL LIMITS APPLY | |
| APPROVED: GILBERT | | AFTER PLATING | |
| SCALE 1:1 | | 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 | |
| DATE 7/13/2016 | | USED ON MODEL | |
| SHEET 14 OF 17 | | EC145 | |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | |
|-----------|-----|-------------|----------|
| REV | ECR | DESCRIPTION | DATE |
| | | | INITIAL |
| | | | APPROVED |




(-27)

SPECIAL WASHER

| | |
|--------------------------------------|---|
| DART AEROSPACE | |
| TITLE ASSEMBLY DEVICE | |
| DWG NO. RBE1X56-131-402-27 | REV 1 |
| MAT'L 1018/1020 CR | UNLESS OTHERWISE SPECIFIED |
| HEAT TREAT | DIMENSIONS ARE IN INCHES |
| FINISH ZINC PLATE | .XXX ± .005 FRACTIONS ± 1/8 |
| SPEC ASTM B633 TYPE I SC 2 | .XX ± .01 ANGLES ± .5° |
| DRAWN BY: DUERFELDT | .X ± .1 SURFACES = 125 |
| CHECKED: MACKOVJAK | 1. BREAK ALL SHARP EDGES |
| OPPS APPR: ANDERSON | .015 x 45° OR .015R |
| QA APPR: LINDSAY | 2. DIMENSIONAL LIMITS APPLY |
| APPROVED: GILBERT | AFTER PLATING |
| SCALE 1:1 | 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 |
| DATE 7/13/2016 | USED ON MODEL |
| SHEET 15 OF 17 | EC145 |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | | | |
|-----------|-----|-------------|------|---------|----------|--|
| REV | ECR | DESCRIPTION | DATE | INITIAL | APPROVED | |





-29

ACME SCREW WELDMENT

| | |
|--------------------------------------|--|
| DART AEROSPACE | |
| TITLE ASSEMBLY DEVICE | |
| DWG NO. RBE1X56-131-402-29 | REV 1 |
| MAT'L ZINC PLATE | UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES |
| HEAT TREAT ZINC PLATE | .XXX ± .010 FRACTIONS ± 1/8 |
| FINISH ZINC PLATE | .XX ± .03 ANGLES ± 1° |
| SPEC ASTM B633 TYPE I SC 2 | .X ± .1 SURFACES = 125° |
| DRAWN BY: DUERFELDT | 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R |
| CHECKED: MACKOVJAK | 2. DIMENSIONAL LIMITS APPLY AFTER PLATING |
| OPPS APPR: ANDERSON | 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 |
| QA APPR: LINDSAY | USED ON MODEL |
| APPROVED: GILBERT | EC145 |
| SCALE 1:1 | DATE 7/13/2016 |
| SHEET 16 OF 17 | |

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

| REVISIONS | | | | | | |
|-----------|-----|-------------|------|---------|----------|--|
| REV | ECR | DESCRIPTION | DATE | INITIAL | APPROVED | |



(-31)
ACME ROD

| | |
|--------------------------------------|------------------------------|
| DART AEROSPACE | |
| TITLE ASSEMBLY DEVICE | |
| DWG NO. RBE1X56-131-402-31 | REV 1 |
| MAT'L STEEL | UNLESS OTHERWISE SPECIFIED |
| HEAT TREAT | DIMENSIONS ARE IN INCHES |
| FINISH SEE -29 | .XXX ± .005 FRACTIONS ± 1/8 |
| SPEC | .XX ± .01 ANGLES ± 5° |
| | .X ± .1 SURFACES = 125° |
| DRAWN BY: DUERFELDT | 1. BREAK ALL SHARP EDGES |
| CHECKED: MACKOVJAK | .015 x 45° OR .015R |
| OPPS APPR: ANDERSON | 2. DIMENSIONAL LIMITS APPLY |
| QA APPR: LINDSAY | AFTER PLATING |
| APPROVED: GILBERT | 3. INTERPRET DIM AND TOL PER |
| | ASME Y14.5M-2009 |
| | USED ON MODEL |
| | EC145 |
| SCALE 1:1 | DATE 7/13/2016 |
| | SHEET 17 OF 17 |